Contents

Volume 97 1990

Commentary
Moens, P. B.
Unravelling meiotic chromosomes: topoisomerase II and other proteins 1

Harris, H.
The role of differentiation in the suppression of malignancy 5

Vitadello, M., Matteoli, M. and Gorza, L.
Neurofilament proteins are co-expressed with desmin in heart conduction system myocytes 11

Sweeney, T. M., Ogle, R. C. and Little, C. D.
Laminin potentiates differentiation of PCC4uva embryonal carcinoma into neurons 23

de Groot, R. P., Rijken, P. J., den Hertog, J., Boonstra, J., Verkleij, A. J., de Laat, S. W. and Kruijer, W.
Microgravity decreases c-*fos* induction and serum response element activity 33

Purkis, P. E., Steel, J. B., Mackenzie, I. C., Nathrath, W. J. B., Leigh, I. M. and Lane, E. B.
Antibody markers of basal cells in complex epithelia 39

Jensen, P. K. A., Elgjo, K., Laerum, O. D. and Bolund, L.
Synthetic epidermal pentapeptide and related growth regulatory peptides inhibit proliferation and enhance differentiation in primary and regenerating cultures of human epidermal keratinocytes 51

Tablin, F., Castro, M. and Leven, R. M.
Blood platelet formation *in vitro*. The role of the cytoskeleton in megakaryocyte fragmentation 59

Brooks, R. F., Howard, M., Leake, D. S. and Riddle, P. N.
Failure of platelet-derived growth factor plus insulin to stimulate sustained proliferation of Swiss 3T3 cells. Requirement for hydrocortisone, prostaglandin E_1, lipoproteins, fibronectin and an unidentified component derived from serum 71

Baskin, T. I. and Cande, W. Z.
Kinetic analysis of mitotic spindle elongation *in vitro* 79

Wolf, K. W.
Mitotic and meiotic spindles from two insect orders, Lepidoptera and Diptera, differ in terms of microtubule and membrane content 91

Mogensen, M. M. and Tucker, J. B.
Taxol influences control of protofilament number at microtubule-nucleating sites in *Drosophila* 101

Laird, D. W. and Revel, J.-P.
Biochemical and immunochemical analysis of the arrangement of connexin43 in rat heart gap junction membranes 109

Cohen, E., Ophir, I., Henis, Y. I., Bacher, A. and Ben Shaul, Y.
Effect of temperature on the assembly of tight junctions and on the mobility of lipids in membranes of HT29 cells 119

Raub, T. J. and Audus, K. L.
Absorptive endocytosis and membrane recycling by cultured primary bovine brain microvessel endothelial cell monolayers 127

Foddy, L., Stamatoglou, S. C. and Hughes, R. C.
An endogenous carbohydrate-binding protein of baby hamster kidney (BHK21 C13) cells. Temporal changes in cellular expression in the developing kidney 139

Brown, S. C., Fisher, D. and Lucy, J. A.
Monensin does not consistently inhibit the spreading of normal or Duchenne fibroblasts on glass 149

Samuels, A. L. and Bisalputra, T.
Endocytosis in elongating root cells of *Lobelia erinus* 157

Bergman, M. and Ringertz, N.
Gene expression pattern of chicken erythrocyte nuclei in heterokaryons 167

Cox, L. S. and Leno, G. H.
Extractions from eggs and oocytes of *Xenopus laevis* differ in their capacities for nuclear assembly and DNA replication 177

Powell, D., Cran, D. G., Jennings, C. and Jones, R.
Spatial organization of repetitive DNA sequences in the bovine sperm nucleus 185

Goodman, J. M., Trapp, S. B., Hwang, H. and Veenhuis, M.
Peroxisomes induced in *Candida boidinii* by methanol, oleic acid and D-alanine vary in function but share common integral membrane proteins 193

Commentaries
Frankel, J.
Positional order and cellular handedness 205

Temple, S.
Characteristics of cells that give rise to the central nervous system 213

Thyberg, J., Östman, A., Bäckström, G., Westermark, B. and Heldin, C.-H.
Localization of platelet-derived growth factor (PDGF) in CHO cells transfected with PDGF A- or B-chain cDNA: retention of PDGF-BB in the endoplasmic reticulum and Golgi complex 219

Li, C. and Poznansky, M. J.
Characterization of the ZO-1 protein in endothelial and other cell lines 231

Holton, J. L., Kenny, T. P., Legan, P. K., Collins, J. E., Keen, J. N., Sharma, R. and Garrod, D. R.
Desmosomal glycoproteins 2 and 3 (desmocollins) show N-terminal similarity to calcium-dependent cell–cell adhesion molecules 239

Angst, B. D., Nilles, L. A. and Green, K. J.
Desmoplakin II expression is not restricted to stratified epithelia 247

Buendia, B., Antony, C., Verde, F., Bornens, M. and Karsenti, E.
A centrosomal antigen localized on intermediate filaments and mitotic spindle poles 259

Shelden, E. and Wadsworth, P.
Interzonal microtubules are dynamic during spindle elongation 273

Mineyuki, Y. and Palevitz, B. A.
Relationship between preprophase band organization, F-actin and the division site in *Allium*. Fluorescence and morphometric studies on cytochalasin-treated cells 283

Zurek, B., Sanger, J. M., Sanger, J. W. and Jockusch, B. M.
Differential effects of myosin–antibody complexes on contractile rings and circumferential belts in epitheloid cells 297

Horvath, A. R. and Kellie, S.
Regulation of integrin mobility and cytoskeletal association in normal and RSV-transformed chick embryo fibroblasts 307

Hatzfeld, M. and Weber, K.
Tailless keratins assemble into regular intermediate filaments *in vitro* 317

Handel, S. E., Hendry, K. A. K. and Sheterline, P.
Microinjection of covalently cross-linked actin oligomers causes disruption of existing actin filament architecture in PtK_2 cells 325

André, P., Benoliel, A.-M., Capo, C., Foa, C., Buferne, M., Boyer, C., Schmitt-Verhulst, A.-M. and Bongrand, P.
Use of conjugates made between a cytolytic T cell clone and target cells to study the redistribution of membrane molecules in cell contact areas 335

Siczkowski, M. and Watt, F. M.
Subpopulations of chondrocytes from different zones of pig articular cartilage. Isolation, growth and proteoglycan synthesis in culture 349

Archer, C. W., McDowell, J., Bayliss, M. T., Stephens, M. D. and Bentley, G.
Phenotypic modulation in sub-populations of human articular chondrocytes *in vitro* 361

Fini, M. E. and Girard, M. T.
The pattern of metalloproteinase expression by corneal fibroblasts is altered by passage in cell culture 373

Fujita, M., Reinhart, F. and Neutra, M.
Convergence of apical and basolateral endocytic pathways at apical late endosomes in absorptive cells of suckling rat ileum *in vivo* 385

Commentary
Holliday, R.
Paradoxes between genetics and development 395

Review
Colman, A.
Antisense strategies in cell and developmental biology 399

Caterson, B., Mahmoodian, F., Sorrell, J. M., Hardingham, T. E., Bayliss, M. T., Carney, S. L., Ratcliffe, A. and Muir, H.
Modulation of native chondroitin sulphate structure in tissue development and in disease 411

Surya, B., Yu, J., Manabe, M. and Sun, T.-T.
Assessing the differentiation state of cultured bovine urothelial cells: elevated synthesis of stratification-related K5 and K6 keratins and persistent expression of uroplakin I 419

Wójciak, B. and Korohoda, W.
Ehrlich ascites tumour cells show tissue-specific adherence and modify their shape upon contact with embryonic fibroblasts and myotubes 433

Baron, R., Neff, L., Brown, W., Louvard, D. and Courtoy, P. J.
Selective internalization of the apical plasma membrane and rapid redistribution of lysosomal enzymes and mannose 6-phosphate receptors during osteoclast inactivation by calcitonin 439

Schor, A. M., Allen, T. D., Canfield, A. E., Sloan, P. and Schor, S. L.
Pericytes derived from the retinal microvasculature undergo calcification *in vitro* 449

Philpott, M. P., Green, M. R. and Kealey, T.
Human hair growth *in vitro* 463

Kill, I. R. and Shall, S.
Senescent human diploid fibroblasts are able to support DNA synthesis and to express markers associated with proliferation 473

Jara, J. R., Martinez-Liarte, J. H., Solano, F. and Peñafiel, R.
Transport of L-tyrosine by B16/F10 melanoma cells: the effect of the intracellular content in other amino acids 479

Murakami, K., Tanabe, K. and Takada, S.
Structure of a *Plasmodium yoelii* gene-encoded protein homologous to the Ca^{2+}-ATPase of rabbit skeletal muscle sarcoplasmic reticulum 487

Chang, K.-C., Gerlach, G., Fernandes, K., Lida, J. and Goldspink, G.
The influenza resistance murine *Mx1* gene is constitutively expressed in the epithelia of the gastrointestinal, respiratory and uterine tracts 497

O'Shea, P., Goodwin, B. and Ridge, I.
A vibrating electrode analysis of extracellular ion currents in *Acetabularia acetabulum* 503

Sazer, S. and Sherwood, S. W.
Mitochondrial growth and DNA synthesis occur in the absence of nuclear DNA replication in fission yeast 509

Dulić, V. and Riezman, H.
Saccharomyces cerevisiae mutants lacking a functional vacuole are defective for aspects of the pheromone response 517

Mineyuki, Y. and Gunning, B. E. S.
A role for preprophase bands of microtubules in maturation of new cell walls, and a general proposal on the function of preprophase band sites in cell division in higher plants 527

Callaini, G. and Riparbelli, M. G.
Centriole and centrosome cycle in the early *Drosophila* embryo 539

Kropf, D. L., Maddock, A. and Gard, D. L.
Microtubule distribution and function in early *Pelvetia* development 545

Keryer, G., Iftode, F. and Bornens, M.
Identification of proteins associated with microtubule-organizing centres and filaments in the oral apparatus of the ciliate *Paramecium tetraurelia* 553

Moss, J. M. and Murray, B. G.
The three-dimensional arrangement of chromosomes at meiotic metaphase I in normal and interchange heterozygotes of *Briza humilis* 565

Whytock, S., Moir, R. D. and Stewart, M.
Selective digestion of nuclear envelopes from *Xenopus* oocyte germinal vesicles: possible structural role for the nuclear lamina 571

Commentaries

Magee, A. I.
Lipid modification of proteins and its relevance to protein targeting 581

Humphries, M. J.
The molecular basis and specificity of integrin–ligand interactions 585

Book Reviews 593

Stamatoglou, S. C., Sullivan, K. H., Johansson, S., Bayley, P. M., Burdett, I. D. J. and Hughes, R. C.
Localization of two fibronectin-binding glycoproteins in rat liver and primary hepatocytes. Co-distribution *in vitro* of integrin ($\alpha_5\beta_1$) and non-integrin (AGp110) receptors in cell–substratum adhesion sites 595

Geiger, B., Volberg, T., Ginsberg, D., Bitzur, S., Sabanay, I. and Hynes, R. O.
Broad spectrum pan-cadherin antibodies, reactive with the C-terminal 24 amino acid residues of N-cadherin 607

Daniels, M. P.
Localization of actin, β-spectrin, 43×10^3 M_r and 58×10^3 M_r proteins to receptor-enriched domains of newly formed acetylcholine receptor aggregates in isolated myotube membranes 615

John, P. C. L., Sek, F. J., Carmichael, J. P. and McCurdy, D. W.
$p34^{cdc2}$ homologue level, cell division, phytohormone responsiveness and cell differentiation in wheat leaves 627

Zachleder, V. and Šetlík, I.
Timing of events in overlapping cell reproductive sequences and their mutual interactions in the alga *Scenedesmus quadricauda* 631

Schumpp, B. and Schlaeger, E.-J.
Optimization of culture conditions for high cell density proliferation of HL-60 human promyelocytic leukemia cells 639

Coukell, M. B. and Cameron, A. M.
Calcium depletion of *Dictyostelium* cells selectively inhibits cyclic nucleotide phosphodiesterase synthesis at a post-transcriptional step 649

Jones, G. E., Murphy, S. J. and Watt, D. J.
Segregation of the myogenic cell lineage in mouse muscle development 659

Danpure, C. J., Guttridge, K. M., Fryer, P., Jennings, P. R., Allsop, J. and Purdue, P. E.
Subcellular distribution of hepatic alanine:glyoxylate aminotransferase in various mammalian species 669

Almahbobi, G. and Hall, P. F.
The role of intermediate filaments in adrenal steroidogenesis 679

Mattey, D. L., Burdge, G. and Garrod, D. R.
Development of desmosomal adhesion between MDCK cells following calcium switching 689

Balczon, R., Accavitti, M. A. and Brinkley, B. R.
Identification of a 40×10^3 M_r centromere-associated protein in cultured mammalian cells 705

Jantzen, H., Schulze, I. and Stöhr, M.
The importance of mitotic control for establishment of developmental competence in *Acanthamoeba castellanii* 715

Index of Authors 725

Index of Subjects 729